Revision Date 03-05-2015 Revision Number 3



### SECTION 1 Identification of the substance/mixture and of the company/undertaking

Product identification used on label

Product identifier 3139

TECTYL 810

Details of the supplier of the safety

data sheet

Daubert Chemical Company 4700 S. Central Avenue Chicago, IL 60638

708-496-7350

Emergency telephone number Relevant identified uses of the substance or mixture and uses

advised against

Chemtrec: (800) 424-9300 Corrosion Preventive Compound

### **SECTION 2 Hazards identification**

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Classification Not classified as hazardous under

OSHA.

Hazard Statements Not hazardous under OSHA regulations.

## **SECTION 3 Composition/information on ingredients**

Chemical Name CAS # %

No Hazardous Components

Note: Specific chemical identities and/or exact percentages have been withheld as a trade secret.

#### **SECTION 4 First aid measures**

**Inhalation** If symptoms are experienced remove source of contamination or move victim to fresh air and

obtain medical advice.

**Eyes** Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to

prevent chemical from transferring to the uncontaminated eye. Get immediate medical

attention.

**Skin Contact** Wash with soap and water. Remove contaminated clothing and launder. Get medical attention

if irritation develops or persists.

**Ingestion** Do not induce vomiting and seek medical attention immediately. Provide medical care

provider with this SDS.

**Note to Doctor** Treat symptomatically.

# **SECTION 5 Firefighting measures**

**Extinguishing media**Use alcohol resistant foam, carbon dioxide, or dry chemical when

fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot burning

liquid.

TECTYL 810 Page 1 of 5

Revision Date 03-05-2015 **Revision Number 3** 

Material may be ignited only if preheated to temperatures above the Fire and/or Explosion Hazards

high flash point, for example in a fire.

**Fire Fighting Methods and Protection** Do not enter fire area without proper protection including self-

> contained breathing apparatus and full protective equipment. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Hazardous Combustion Products** Carbon dioxide, Carbon monoxide, Nitrogen containing gases,

Hydrocarbons, Hydrogen chloride

### **SECTION 6 Accidental release measures**

Personal precautions, protective equipment and emergency procedures Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section VIII of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment and cleaning up

Collect and discard in accordance with local, state and national

regulations.

#### **SECTION 7 Handling and storage**

**Precautions for safe handling** 

Avoid contacting and avoid breathing the material. Use only in a well ventilated area. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Wash thoroughly after handling. Do not get in eyes, on skin and clothing. Remove contaminated clothing and wash before reuse. Keep in air-tight containers- material is hygroscopic.

Conditions for safe storage, including any

incompatibilities

Store in a cool dry place. Isolate from incompatible materials. Store in a cool place in original container and protect from sunlight. Store in tightly sealed original container.

**Incompatible materials** 

Strong oxidizing agents, Strong acids, Strong alkalies

#### **SECTION 8 Exposure controls/personal protection**

**Control parameters Chemical Name** 

ACGIH TLV

ACGIH STEL

OSHA PEL

No exposure limits in vapor form

**Engineering Measures** 

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits Engineering controls must be designed to control vapor concentrations to below levels published in 29 CFR 1910.1000. Ventilation is required to maintain operator exposure below published exposure limits.

TECTYL 810 Page 2 of 5

Revision Date 03-05-2015 **Revision Number 3** 

Respiratory protection may be required to avoid overexposure when handling this **Respiratory Protection** 

product. General or local exhaust ventilation is the preferred means of protection. Use a

respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a

respirator. Wear a NIOSH approved respirator if any exposure is possible.

**Eye Protection** Wear chemically resistant safety glasses with side shields when handling this product.

> Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne

material. Do not wear contact lenses. Have an eye wash station available.

**Skin Protection** Wear protective gloves. Inspect gloves for chemical break-through and replace at

regular intervals. Clean protective equipment regularly. Wash hands and other exposed

areas with mild soap and water before eating, drinking, and when leaving work.

Gloves Chemically resistant gloves

### **SECTION 9 Physical and chemical properties (Typical, not specification)**

**Physical State** Liquid Color Amber

Odor Slight Solvent Odor **Odor Threshold** No data available No data available рH Melting Point, °C No data available **Boiling Point, °C** No data available **Flash Point** 325 °F( 163 °C) **Evaporation Rate** No data available Flammability (Solid, Gas) No data available No data available

Lower Flammable/Explosive Limit,

% in air

Upper Flammable/Explosive Limit, No data available

% in air

Vapor Pressure

Specific Gravity @ 25°C

**Solubility in Water** Complete; 100%

**Octanol/Water Partition Coefficient** 1.32

**Autoignition Temperature** No data available **Decomposition Temperature** No data available Viscosity 54 cSt @ 40°C Volatiles, % by weight No data available

0.23 VOC, lb/gal VOC, grams/liter 27.6

#### **SECTION 10 Stability and reactivity**

Chemical stability Stable under normal conditions. Hazardous polymerization

will not occur.

Under normal conditions of storage and use, hazardous Possibility of hazardous reactions

No data available

reactions will not occur.

TECTYL 810 Page 3 of 5

Revision Date 03-05-2015 Revision Number 3

**Conditions to avoid** Contamination. High temperatures.

Incompatible materialsStrong oxidizing agents, Strong acids, Strong alkaliesHazardous decomposition productsDecomposition and hazardous decomposition products are

unlikely.

#### **SECTION 11 Toxicological information**

**Likely Routes of Entry** Inhalation, Skin contact, Eye contact

Target Organs Potentially Affected by Exposure Kidneys, Liver

Chemical Interactions That Change Toxicity
Medical Conditions Aggravated

No chemical interaction known to affect toxicity.
Skin contact may aggravate existing skin disease

Immediate (Acute) Health Effects by Route of Exposure

Inhalation Irritation Can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and

headache.

**Inhalation Toxicity** Non-Toxic. Not known to cause systemic damage.

**Skin Contact** Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause

permanent damage.

**Skin Absorption** No absorption hazard expected in normal industrial use.

Eye Contact Can cause moderate irritation, tearing and reddening, but not likely to permanently injure

eye tissue.

**Ingestion Irritation** Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea.

**Ingestion Toxicity** Harmful if swallowed.

**Long-Term (Chronic) Health Effects** 

**Carcinogenicity** Not listed by ACGIH, IARC, NIOSH, NTP OR OSHA.

Reproductive and Developmental Toxicity No data available to indicate product or any components present at

greater than 0.1% may cause birth defects.

**Inhalation** Upon prolonged and/or repeated exposure, can cause moderate respiratory irritation,

dizziness, weakness, fatigue, nausea and headache. Can cause systemic damage upon

prolonged and/or repeated exposure (see "Target Organs)

Skin Contact Upon prolonged or repeated contact, can cause moderate skin irritation, defatting, and

dermatitis. Not likely to cause permanent damage.

**Skin Absorption** Upon prolonged or repeated exposure, no hazard in normal industrial use.

**Component Toxicology Data** 

Chemical Name CAS Number LD50/LC50

No data available

### **SECTION 12 Ecological information**

**Overview** No ecological information available

MobilityNo dataPersistenceNo dataBioaccumulationNo dataDegradabilityNo data

TECTYL 810 Page 4 of 5

Revision Date 03-05-2015 Revision Number 3

**Ecotoxicity Data** 

Chemical Name CAS Number Aquatic EC50 Aquatic ERC50 Aquatic LC50 Crustacea Algae Fish

No data available

**SECTION 13 Disposal considerations** 

Waste Description for Spent Product Spent or discarded material is not expected to be a hazardous waste.

**Disposal Methods** Dispose of in accordance with Local and National regulations.

Waste Disposal Code(s) Not applicable

**SECTION 14 Transport information** 

Full Shipping Name for Rust Inhibitor - Non-Hazardous

Export, Air, Sea (any

quantity) or vessels of 119 gal.

or more:

**Domestic Ground in vessels** < Not Regulated

119 gal.

**SECTION 15 Regulatory information** 

**TSCA Status** All components in this product are on the TSCA Inventory or exempt.

Canadian DSL All chemical substances in this material are included on or exempted from listing on the

status: Canadian DSL.

Chemical NameCAS #RegulationPercentBarium compounds93820-55-4SARA 3130.5 - 1.5

**SECTION 16 Other information** 

**Revision** 03-05-2015

**Date** 

**Disclaimer** Although the information contained herein is believed to be reliable, it is furnished without warranty

of any kind. This information is not intended to be all-inclusive as to the manner and conditions of

use, handling, and storage.

Version Revised

**Comments** Approved: J. Kump / M. Duncan

TECTYL 810 Page 5 of 5