

Eastman(TM) Turbo Oil 2380

Version Revision Date: SDS Number: Date of last issue: 07/26/2016
3.3 07/29/2016 150000097793 Date of first issue: 02/28/2014
SDSUS / PRD / 0001

SECTION 1. IDENTIFICATION

Product name : Eastman(TM) Turbo Oil 2380
Product code : 34359-00, E3435901, P3435905, P3435903, P3435902,
P3435901, P3435900

Manufacturer or supplier's details

Company name of supplier : Eastman Chemical Company
Address : 200 South Wilcox Drive
Kingsport TN 37660-5280
Telephone : (423) 229-2000
Emergency telephone number : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321
For emergency transportation information, in the United States:
call CHEMTREC at 800-424-9300 or call 423-229-2000.

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant
Restrictions on use : None known.

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene	68411-46-1	1 - 5
Tricresyl phosphate	1330-78-5	< 3
N-phenyl-1-naphthylamine	90-30-2	< 2.5

SECTION 4. FIRST AID MEASURES

Eastman(TM) Turbo Oil 2380

Version Revision Date: SDS Number: Date of last issue: 07/26/2016
 3.3 07/29/2016 150000097793 Date of first issue: 02/28/2014
 SDSUS / PRD / 0001

- If inhaled : Move to fresh air.
 If breathing is difficult, give oxygen.
 Consult a physician if necessary.
- In case of skin contact : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
 Wash contaminated clothing before reuse.
 If symptoms persist, call a physician.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
 Get medical attention if symptoms occur.
- If swallowed : Rinse mouth.
 Call a physician or poison control centre immediately.
 Do NOT induce vomiting.
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Prolonged skin contact may defat the skin and produce dermatitis.
 Contact with hot product will cause thermal burns.
 Inhalation of thermal decomposition products may lead to adverse effects including pulmonary edema.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
 Foam
 Dry powder
 Carbon dioxide (CO₂)
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : Hazardous combustion products
 carbon dioxide, carbon monoxide
 oxides of phosphorus
- Further information : In case of fire and/or explosion do not breathe fumes.
 Use water spray to cool unopened containers.
 Prevent fire extinguishing water from contaminating surface water or the ground water system.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protec- : Ventilate the area.

Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 07/26/2016
3.3	07/29/2016	150000097793	Date of first issue: 02/28/2014
SDSUS / PRD / 0001			

tive equipment and emergency procedures : Material can create slippery conditions. Use personal protective equipment. Local authorities should be advised if significant spillages cannot be contained.

Environmental precautions : Avoid release to the environment.

Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Do not get in eyes.
Do not get on skin or clothing.
Wash thoroughly after handling.
Do not breathe vapours or spray mist.
Use only in area provided with appropriate exhaust ventilation.
Drain or remove substance from equipment prior to break-in or maintenance.
Wear appropriate personal protective equipment.

Conditions for safe storage : Keep containers tightly closed in a cool, well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material : Recommended gloves:

Material : Nitrile rubber

Eastman(TM) Turbo Oil 2380

Version Revision Date: SDS Number: Date of last issue: 07/26/2016
3.3 07/29/2016 150000097793 Date of first issue: 02/28/2014
SDSUS / PRD / 0001

Remarks : Wear suitable gloves. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Eye protection : Wear safety glasses with side shields (or goggles).

Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : amber

Odour : No data available

Melting point/freezing point : -54 °C

Flash point : 246 °C
Method: Cleveland open cup

Flammability (solid, gas) : Not applicable

Relative density : 0.98 (15.6 °C)

Density : 980 kg/m³ (15.6 °C)

Solubility(ies)
Water solubility : insoluble

Partition coefficient: n-octanol/water : Not applicable Mixture

Viscosity
Viscosity, kinematic : 23 - 30 mm²/s (40 °C)
4.9 - 5.4 mm²/s (100 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Conditions to avoid : Keep away from sources of ignition - No smoking.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition : Emits acrid smoke and fumes when heated to decomposition.

Eastman(TM) Turbo Oil 2380

Version Revision Date: SDS Number: Date of last issue: 07/26/2016
3.3 07/29/2016 150000097793 Date of first issue: 02/28/2014
SDSUS / PRD / 0001

products

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

- Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg
Assessment: Not classified
- Acute inhalation toxicity : Acute toxicity estimate (Expert judgement): Exposure time: 4 h
Assessment: Not classified
Remarks: Read-across from a similar material
- Acute dermal toxicity : Acute toxicity estimate (Expert judgement): Assessment: Not
classified
Remarks: Read-across from a similar material

Components:**N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:**

- Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg
- Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

Tricresyl phosphate:

- Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
- Acute dermal toxicity : LD50 Dermal (Rabbit): > 10,000 mg/kg

N-phenyl-1-naphthylenamine:

- Acute oral toxicity : LD50 Oral (Rat): 1,250 mg/kg
- Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species: Rabbit
Exposure time: 24 h
Assessment: Not classified as hazardous.
Result: slight

Components:**N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:**

Species: Rabbit
Assessment: Not classified

Eastman(TM) Turbo Oil 2380

Version Revision Date: SDS Number: Date of last issue: 07/26/2016
3.3 07/29/2016 150000097793 Date of first issue: 02/28/2014
SDSUS / PRD / 0001

Result: slight

Tricresyl phosphate:

Species: Rabbit
Exposure time: 24 h
Assessment: Not classified as hazardous.
Result: Non-irritating to the skin.

N-phenyl-1-naphthylenamine:

Species: Rabbit
Assessment: Not classified
Result: none

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species: Rabbit
Result: No eye irritation
Assessment: Not classified

Components:**N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:**

Species: Rabbit
Result: slight
Assessment: Not classified

Tricresyl phosphate:

Species: Rabbit
Assessment: Not classified

N-phenyl-1-naphthylenamine:

Species: Rabbit
Result: slight
Assessment: Not classified

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.
Respiratory sensitisation: Not classified based on available information.

Product:

Test Type: Skin Sensitization
Assessment: Not classified
Method: Human Repeat Insult Patch Test
Result: non-sensitizing

Components:**Tricresyl phosphate:**

Test Type: Skin Sensitization
Assessment: Not classified

Eastman(TM) Turbo Oil 2380

Version Revision Date: SDS Number: Date of last issue: 07/26/2016
3.3 07/29/2016 150000097793 Date of first issue: 02/28/2014
SDSUS / PRD / 0001

N-phenyl-1-naphthylenamine:

Assessment: Skin sensitisation

Result: sensitizing

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Test Type: Mutagenicity
Metabolic activation: Read-across from a similar material
Result: Based on available data, the classification criteria are not met.

Genotoxicity in vivo : Test Type: Mutagenicity
Result: Based on available data, the classification criteria are not met.
Remarks: Read-across from a similar material

Components:**Tricresyl phosphate:**

Genotoxicity in vitro : Test Type: various
Result: Based on available data, the classification criteria are not met.
Remarks: Not classified

Genotoxicity in vivo : Test Type: various
Result: Based on available data, the classification criteria are not met.

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Species: Rat

Remarks: No known significant effects or critical hazards.

Eastman(TM) Turbo Oil 2380

Version Revision Date: SDS Number: Date of last issue: 07/26/2016
 3.3 07/29/2016 150000097793 Date of first issue: 02/28/2014
 SDSUS / PRD / 0001

Effects on foetal development : Species: Rat
 Remarks: No known significant effects or critical hazards.

Reproductive toxicity - Assessment : No toxicity to reproduction

Components:**Tricresyl phosphate:**

Effects on fertility :
 Species: Rat
 Remarks: Suspected of damaging fertility.

Effects on foetal development : Species: Rat
 Remarks: Suspected of damaging the unborn child.

Reproductive toxicity - Assessment : May damage the unborn child. Suspected of damaging fertility.

STOT - single exposure

Not classified based on available information.

Product:

Exposure routes: inhalation (dust/mist/fume)
 Assessment: Not classified

Components:**Tricresyl phosphate:**

Assessment: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Not classified based on available information.

Product:

Assessment: Based on available data, the classification criteria are not met.

Components:**N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:**

Assessment: Not classified

Tricresyl phosphate:

Assessment: Based on available data, the classification criteria are not met.

N-phenyl-1-naphthylenamine:

Assessment: Not classified

Repeated dose toxicity**Product:**

Remarks: No known significant effects or critical hazards.

Eastman(TM) Turbo Oil 2380

Version Revision Date: SDS Number: Date of last issue: 07/26/2016
 3.3 07/29/2016 150000097793 Date of first issue: 02/28/2014
 SDSUS / PRD / 0001

Components:**Tricresyl phosphate:**

Species: Rat
 NOEL: 300 mg/l

Aspiration toxicity

Not classified based on available information.

Product:

Not classified

Components:**Tricresyl phosphate:**

Not classified

Experience with human exposure**Product:**

Inhalation	: Remarks: None known.
Skin contact	: Remarks: Prolonged skin contact may defat the skin and produce dermatitis.
Eye contact	: Remarks: Contact with the eyes may be very painful but does not cause damage.
Ingestion	: Remarks: None known.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish	: LC50 (Fish): Remarks: Not classified as hazardous. (limit of solubility in fresh water) Read-across from a similar material
Toxicity to daphnia and other aquatic invertebrates	: NOEC: Remarks: Not classified as hazardous. (limit of solubility in fresh water) Read-across from a similar material
Toxicity to algae	: NOEC (Pseudokirchneriella subcapitata (algae)): Remarks: Not classified as hazardous. (limit of solubility in fresh water) Read-across from a similar material

Eastman(TM) Turbo Oil 2380

Version Revision Date: SDS Number: Date of last issue: 07/26/2016
 3.3 07/29/2016 150000097793 Date of first issue: 02/28/2014
 SDSUS / PRD / 0001

Toxicity to fish (Chronic toxicity) : NOEC (Fish):
 Remarks: Not classified as hazardous.
 (limit of solubility in fresh water)
 Read-across from a similar material

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC:
 Remarks: Not classified as hazardous.
 (limit of solubility in fresh water)
 Read-across from a similar material

Components:**Tricresyl phosphate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.6 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.146 mg/l
 Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 1

N-phenyl-1-naphthylamine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.44 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.30 - 0.68 mg/l
 Exposure time: 48 h

Toxicity to bacteria : EC50 (Bacteria): Exposure time: 3 h

Persistence and degradability**Product:**

Biodegradability : Result: Readily biodegradable
 Biodegradation: 92.36 %
 Exposure time: 28 d

Biochemical Oxygen Demand (BOD) : Remarks: No data available

Chemical Oxygen Demand (COD) : Remarks: No data available

BOD/COD : Remarks: No data available

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: Mixture
 Not applicable

Components:

Eastman(TM) Turbo Oil 2380

Version 3.3 Revision Date: 07/29/2016 SDS Number: 150000097793 Date of last issue: 07/26/2016
 Date of first issue: 02/28/2014
 SDSUS / PRD / 0001

Tricresyl phosphate:

Bioaccumulation : Bioconcentration factor (BCF): 2,000
 Remarks: No information available.

Partition coefficient: n- : Pow: 860,000
 octanol/water : log Pow: 5.93

Mobility in soil**Components:**

Tricresyl phosphate:
 Distribution among environ- : log Koc: 4.31
 mental compartments

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION**International Regulation****IATA-DGR**

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act**

SARA 311/312 Hazards : No SARA Hazards

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

Eastman(TM) Turbo Oil 2380

Version Revision Date: SDS Number: Date of last issue: 07/26/2016
3.3 07/29/2016 150000097793 Date of first issue: 02/28/2014
SDSUS / PRD / 0001

DSL : All components of this product are on the Canadian DSL
AICS : On the inventory, or in compliance with the inventory
ENCS : On the inventory, or in compliance with the inventory
KECI : On the inventory, or in compliance with the inventory
PICCS : On the inventory, or in compliance with the inventory
IECSC : On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.


SECTION 16. OTHER INFORMATION**Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations;

Eastman(TM) Turbo Oil 2380Version
3.3Revision Date:
07/29/2016SDS Number:
150000097793Date of last issue: 07/26/2016
Date of first issue: 02/28/2014

SDSUS / PRD / 0001

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information**NFPA:****HMIS III:**

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Sources of key data used to compile the Safety Data Sheet : www.EastmanAviationSolutions.com
Revision Date : 07/29/2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN